




woodline
shade solutions


PACIFIC UMBRELLA ASSEMBLY INSTRUCTIONS



Concrete Slab Base




Paver Base



Square Metal Base

BOX CONTENTS

1 X UMBRELLA STRUCTURE



PACKED



1 X FINIAL (ATTACHED
TO TOP OF THE FRAME)

PACKED



1 X COVER BAG

PACKED

1 X COVER BAG STICK




PACKED

CANOPY BAG



1 X CANOPY

PACKED



LOXX SPANNER
IN ZIPLOC BAG

PACKED

PACKED BY: _____ DATE: _____

CHECKED BY: _____ DATE: _____


*NOTE: You may have purchased one of a variety of bases for mounting the umbrella. The components comprising the base system are in separate boxes from the umbrella. Locate your base mount system boxes, and assemble the base system prior to removing the umbrella from the protective plastic bag.

For alternative base options please view www.woodlineshade.com

woodline

shade solutions

PACIFIC UMBRELLA - CORRECT PLACEMENT



A Canopy size:
 Round: size is measured from tip to tip through the center
 Square: size is measured from tip to tip on one side
 Rectangle: size is measured from tip to tip on long side and short side

B Height of structure



C Head clearance from rib tip

D Minimum width

E Ground clearance when closed

F Maximum length of rotation

● Rotation point




model	shape		A (size)	B	C	D	E	F
PC27RA PC27RE	Round 8 ribs		8'1" 2.7m	8'0" 2.45m	7'4" 2.27m	8'0" 2.46m	2'5" 0.75m	N/A
PC35RA PC35RE	Round 8 ribs		11'5" 3.5m	8'0" 2.45m	6'2" 1.88m	10'2" 3.1m	3'2" 0.97m	N/A
PC25SA PC25SE	Square 8 ribs		8'2" 2.5m	8'0" 2.45m	6'4" 1.94m	N/A	2'1" 0.65m	N/A
PC285SA PC285SE	Square 8 ribs		9'4" 2.85m	8'0" 2.45m	6'9" 2.11m	N/A	1'5" 0.46m	N/A


Note: the height of the umbrella in the open and closed position is based on a standard metal base of 0.39 inches (10mm).

Imperial measurements have been converted from metric and are rounded to the nearest inch. For exact dimensions refer to metric measurements.


FITTING THE CANOPY: After assembling the base and making sure the fastening handwheel is loosened, remove the umbrella structure from the protective bag, remove all protective wrapping and place the umbrella pole into the base tube, tightening the handwheel to ensure the umbrella is secured. To fit the canopy you will require a step ladder (although this process can also be done while laying the umbrella structure down at an angle, taking special care not to dirty the canopy).




1) Using a step ladder get up to the same height as the top of the umbrella then unscrew the finial cap protruding from the top dome. You can also lie the structure down at an angle to achieve this.




2) The top dome sits on the top of the structure with two index pins that align with two notches, ensure the top dome is fitted snugly in this closed position before fitting the canopy.




3) With one hand under the canopy to hold the top of it from underneath, insert the finial into the eyelet so that its threaded shaft fits down through the finial eyelet.




4) Turn the canopy upside down while holding the finial in place through the eyelet as you prepare to screw it onto the threaded shaft protruding from the top dome of the structure.




5) Align the finial back onto the threaded shaft on the umbrella's top dome, where it was originally positioned, and screw it about halfway in.



6) Once the finial is halfway screwed onto the threaded shaft carefully drape the entire canopy down over the umbrella structure.




7) Hand tighten the finial clockwise into position, while ensuring it is vertically orientated to avoid damage. Do not overtighten as the canopy needs to be able to freely rotate under the finial.




8) To attach the canopy to the ribs, pull the top half of the LOXX fastener up, place onto the ball stud mounted on the rib end, then release the top half of the LOXX to lock it into position.


TO OPEN THE UMBRELLA




1) Hold the rope towards its end and begin to firmly pull in a downwards direction to start opening the umbrella canopy.



2) Continue to pull downwards while stepping back to allow for enough space so that the canopy can fully open without obstruction.




3) Once the canopy is fully open you simply lock the rope by pressing it firmly into the cleat with while retaining downward pressure on the rope.




4) Once the rope is held firmly in place by the cleat the excess can be neatly coiled and placed into the rope clip using the LOXX fastener.


TO CLOSE THE UMBRELLA




1) Release the rope from the cleat by pulling the rope towards you until it is free.



2) Reduce thumb pressure to allow the rope to slowly slide upwards as the canopy lowers itself.



3) Allow the rope to be pulled upwards as the canopy structure slowly closes, stepping back to allow space for the canopy to close.




4) The canopy will lower itself completely under its own gravity as you release the rope and allow it to feed upwards into the pulley system.

CANOPY FOLDING INSTRUCTIONS


- 1 In order to avoid the canopy fabric from being jammed between the frame components, it is important to pull out the fabric from the umbrella structure by putting a finger under the edge of the canopy and pulling the fabric outwards. Do this for all the panels and then fold the panels over each other like you would with a hand-held umbrella.
- 2 Tie the canopy strap tightly otherwise the canopy can move in windy conditions and become damaged through rubbing.
- 3 Place the cover bag over your umbrella to provide extra protection to prolong the lifespan and preserve the color of the canopy.
- 4 For extra protection always ensure that your umbrella is in a dry condition before closing and applying the cover bag.




HOW TO FIT YOUR COVER BAG CORRECTLY



- 1 Lay out the cover bag flat on a table with the zip totally opened.



- 2 Insert the supplied cover bag stick into the bag all the way to the top, lift the bag vertically and place gently up and over the top of umbrella.



- 3 Lower it into position and zip the bag closed. The cover bag stick can be placed into the special pouch within the cover bag for safekeeping.

CARE AND MAINTENANCE

Every Woodline shade solution is meticulously engineered to maximize not just their form and functions, but also to make sure that they outlast even the harshest conditions. Each item is crafted from the finest marine grade weather-resistant materials, specifically selected for their ability to endure. Though our shade solutions are built to last, the relentless and extreme nature of the outdoors dictates that proper care and maintenance will always extend the lifespan of any item.

FRAMES

Constructed from the finest quality aluminum, high grade stainless steel and durable and sustainable eucalyptus timber. Our frames have been tested in some of the world's most inhospitable environments and have only ever benefited from the appropriate application of caution and common sense in excessive wind conditions.

We advocate the use of our cover bags to prolong the life of the canopy frames and their covering fabrics. We recommend the closure and safe storage of any collapsible and removable components when the parasol is not in use or when winds are expected to exceed 24.8 mph (40 km/h).

WOODEN COMPONENTS

We only use sustainable eucalyptus timber hand-picked for its strength, weather-resistance, and replenishment efficiency from the world's finest accredited plantations and timber mills. Our wooden components are treated with marine yacht varnish to fortify them for outdoor living. We recommend the periodic care of wooden components with a light sanding and reapplication of the varnish coating once a year to maintain the natural beauty of the wood.



FITTINGS


All fittings, nuts, bolts, pulleys and cleat components are made with high grade stainless steel and weatherproof nylon. Maintaining these fittings and components is imperative to the longevity and the proper operation of the shade system. A simple occasional fresh water rinsing will help keep them working well and looking good.

BASES

It is essential to pick the right base for your parasol, talk to our sales team to ensure that the parasol you choose has the appropriate base to keep it anchored properly.

FABRICS

Our canopies and fabric covers are made from the most durable, colorfast, and dirt-repellent fabrics in the world. That said, proper care such as storage when not in use and cleaning from time to time will undoubtedly extend their lifespan.



UV RESISTANT



STAIN RESISTANT



MOLD RESISTANT



BLEACH SAFE



EASY CARE



STRONG & DURABLE

WIND GUIDELINES

*The umbrella should always be closed during very windy conditions. As with all umbrellas, common sense wind guidelines prevail: if it is too windy to enjoy sitting outside under the umbrella, the umbrella structure should be lowered, folded and secured with the strap.

*When unattended, the umbrella structure should always be left in the closed position with the canopy folded properly, securely strapped with the cover bag placed over the umbrella.

*The umbrella structure must always be lowered, properly folded and strapped during heavy rains, thunderstorms, hail or any other severe weather conditions. Always anticipate to give time to properly fold the canopy, as during severe conditions if not folded properly, the fabric may become damaged.

*If very extreme weather conditions are anticipated, the umbrella structure should first be lowered, folded properly, strapped and placed in the cover bag. Then the entire umbrella structure should be removed from the base and stored in a clean, dry location.

www.woodlineshade.com | +1 848 266 0800