


woodline

shade solutions

Table Clamp: Assembly Instructions




PARTS LIST



Table Clamp
with Shoehorn
and Handwheel

PACKED

IN ZIP LOCK BAG



6 x Pan Head
Screws #8 x 20

PACKED

PACKED WEIGHT & DIMENSIONS

Extra Small:

1" or 25.4mm Pole / 1.26" or 32mm Pole
1.5" or 38mm Tube Diameter
1.5lbs or 0.72kg
7.8" x 5.1" x 5.1" or 200 x 130 x 130mm


Small:

1.5" or 38mm Pole
1.8" or 48mm Tube Diameter
1.63lbs or 0.74kg
7.8" x 5.1" x 5.1" or 200 x 130 x 130mm

Medium:

1.8" or 48mm Pole
2.2" or 57mm Tube Diameter
1.63lbs or 0.74kg
7.8" x 5.1" x 5.1" or 200 x 130 x 130mm

Table Clamp: attaching to a table



- 1 Ensure the shoehorn is fitted in the right direction for use above or below the table surface.
- 2 Use the supplied 6 x pan head screws to attach the Table Clamp securely to the table top or its underside.
- 3 Slide the umbrella pole down into the tube to reach the desired height, then secure the handwheel.

Dimensions of the Table Clamp base plate

